



Product Introduction

Battery Tester BST-860

LAUNCH Europe

Introduction

The new BST-860 battery system tester with integrated printer offers a complete solution for testing 6V, 12V and 24V batteries and related electrical systems and giving the report to customers.

It is compatible with a wide variety of battery types, rated in **CCA, JIS, DIN, CA, EN, MCA, IEC, BCI, SAE, and GB**. It features easy, intuitive operation with quick, accurate assessment of battery condition and electrical system performance.

The integrated printer provides easy service documentation. The printing sequence is clear and quick, with a completed printout in just seconds. The printer uses standard thermal paper that is available at any office supply store



LAUNCH Europe

Product Features

- A variety of applicable vehicle types, battery types and calibration system
- The battery and circuit system can be detect simultaneously
- The battery test result are quick and accurate (within 3 Sec.)
- Results of the battery test: „Good“ or „To replace“
- Available to the batch inspection of battery by testing continuously and repeatedly
- Support Automatic temperature compensation function
- Large screen with backlight and user-friendly interface
- Support multiple languages menu
- Built-in thermal printer
- The USB port can export service records

Technical Data

Display:	4-line Graphic Lcd Display With Backlight
Test Cable:	80 cm Standard Cable
Working Temperature:	-18 ~ 50 °C
Dimension:	188*95*41mm
Weight:	450g
Case Material:	Abs Acid-proof Plastic, Industrial Case Design, Suitable For Repair Workshops



Language:

European Configuration A: English, German, Italian, French, Polish, Russian

European Configuration B: Dutch, Swedish, Finnish, Turkish, Danish, Norwegian

LAUNCH Europe

Test range

CCA	100 ~ 2000	JIS	26A17 ~ 245H52
DIN	100 ~ 1400	CA	100 ~ 2000
EN	100 ~ 2000	MCA	100 ~ 2000
IEC	100 ~ 1400	BCI	100 ~ 2000
SAE	100 ~ 2000	GB	30Ah ~ 200Ah

Applicable Vehicle

Car, motorcycles, lawn mowers and other gardening machines, Group 31, commercial vehicles 4D/8D

Applicable battery types

6V, 12V and 24V batteries (Lead-acid battery, gel battery and AGM battery)

Comparison



	BST-860	BST-12
Battery Test	Support	Support
Starter Test	Support	Support
Voltage Test	Support	
Grounding Test		Support
Alternator Test		Support
Ripple Test	Support	
Electric Current Test	Support	
Charging System Test	Support	
Support Battery	6V, 12V, 24V	12V

LAUNCH Europe

Ordering Information

Article Number: BST-307050058 for BST-860 Config. A

Article Number: BST-307050059 for BST-860 Config. B

Available on 1st Sept 2018

LAUNCH Europe

Contact

DIAGTOOLS LTD

www.diagtools.lv

+371 6 77 04 152

+371 29 41 60 69

Pernavas 43A, Riga, LV-1009

diagtools@diagtools.lv

LAUNCH Europe